




CASOKU SUPER CVT Plus FLUID

嘉速久 超級雙酯基 全合成連續無段自動變速箱油

CASOKU SUPER CVT+ FLUID 是一支超高性能、超高黏度指數及採用特級化學合成雙酯基與聚 α 烯烴(PAO)溶合入超強性能複合添加劑技術研發所產製的超級無段變速箱油，特別設計適用於極高工作溫度或與嚴苛的鍊帶高扭力操作之多用途無段變速自動變速箱油。本產品技術配方通過多項車廠及變速箱規格測試，亦廣泛適用於各式車種的鋼帶設計連續式無段變速箱。



性能特色說明

- Premium performance to protect transmission parts base on with excellent anti-oxidant capacity and high temperature resistance and anti-wear properties. 具有極佳的耐超高溫與抗磨損能力，特優的抗氧化能力，長時間全方位能有效保護變速箱機件。
- Excellent driving comfort. 優越的舒適駕駛表現
- Superior Anti-shudder Durability Reduce slippage between the belt and pulley. 能有效的降低滑動動能損耗於鍊帶及傳動輪之間
- Longer life of transmission and extended service interval.



CASOKU SUPER CVT Plus FLUID

嘉速久 超級雙酯基 全合成連續無段自動變速箱油

油質長效使用壽命與性能持久的維持

- A well-balanced ,high level of both torque capacity and anti-shudder performance results.有效率的穩定平衡功能,讓扭力瞬間提升時,極不易產生跳動.
- BTT Specified Belt Box test => Excellent wear control and durability between belt and pulley.卓越的抗磨損性能,保護鋼帶鍊帶與傳動輪部件.
- Vehicle durability test => Validated performance. Assurance through BTT Belt Box Tests and Vehicle Tests 油品的持久性是被驗證通過.

適用於 GM, Toyota,Nissan,Mitsubishi,Ford 等多種美系、日系、歐系車種。



CASOKU SUPER CVT Plus FLUID

嘉速久 超級雙酯基 全合成連續無段自動變速箱油

OEM and CVT Fluid	CVT Type	CVT-P&C
Audi/VW (TL 52180; G 052 180)	Chain	SFU
Ford (CVT30/WSS-M2C933-A/Motorcraft XT-7-QCFT, MERCON C)	Chain	SFU
Subaru (Lineartronic CVTF, high torque CVTF, K0425Y0710)	Chain	SFU
Honda HCF2, HMMF with Torque Convertor	Belt	SFU
Toyota (TC, CVT-FE*)	Belt	SFU
BMW 8322 0 136 376 / 8322 0 429 154 (EZL 799A)	Belt	SFU
Nissan NS-1/ NS-2/NS-3*	Belt	SFU
Mazda CVTF 3320	Belt	SFU
Mitsubishi DiaQueen (CVTF-J1, CVTF-J4*)	Belt	SFU
Honda (HMMF with Start Clutch)	Belt	SFU
Subaru ECVT, ICVT, CV30	Belt	SFU
Punch CVT (EZL779)	Belt	SFU
Daihatsu Ammix CVT, Daihatsu Amix CVTF-DFE*	Belt	SFU
Mini Cooper (EZL 799A/ ZF CVT V1)	Belt	SFU
Hyundai / Kia (SP-CVT 1)	Belt	SFU
Suzuki (CVTF 3320, TC, NS-2, CVTF Green 1, CVTF Green 2*)	Belt	SFU
Chrysler Jeep NS-2	Belt	SFU
Dodge / Jeep (NS-2 / CVTF+4)	Belt	SFU
GM/Saturn (DEX-CVT,GM CVT)	Belt	SFU
Ford (CVT23)	Belt	SFU
Toyota/Lexus (TC, FE*, WS (Prius eCVT only)	Belt	SFU
Shell Green 1V	Belt	SFU
Mercedes Benz (236.20)	Belt	SFU



CASOKU SUPER CVT Plus FLUID

嘉速久 超級雙酯基 全合成連續無段自動變速箱油

規格性狀表現 Typical Specification

TEST ITEMS	UNIT	METHOD	RESULT
Specific Gravity		ASTM D4052	0.853
Viscosity @ 40 °C	c S t	ASTM D445	26.08
Viscosity @ 100 °C	c S t	ASTM D445	7.052
Viscosity Index		ASTM D2270	255
Flash Point	°C	ASTM D92	Report
Pour Point	°C	ASTM D97	-39

物質安全訊息

請詳閱 CASOKU 產品之物質安全資料(MSDS)。請置放在幼兒無法取得之場

所，並避免儲放於曝曬，雨淋等開放區域，儲藏於室內請注意通風。